

Buildex® RAPIDDRIVE Bugle Battens are faster, easier & better than traditional bugle battens

Improving productivity by delivering speed and ease of use in installation.

FAST

- Twice as fast than a standard bugle batten screw, saving time
- Superior, sharper design cut, and fast bite point for a quick start
- Quick pick-up speed for faster drive into timber
- Aggressive thread increases pull down speed and strength

FUNCTIONAL

- One-handed operation for easy installation
- T30 precision fit enhancement to reduce bit wobble
- T30 Star recess for positive drive bit engagement and less cam-out
- No pre-drilling* or pre-countersinking required

PREMIUM QUALITY

- Self-drilling functionality for reduced timber splitting
- Serrated cutting ribs provides cleaner countersinking for a flush finish
- Available in 3 different finishes Galvanised Zinc Alloy 3, Climacoat[®] and Stainless Steel 316
- Ideal for both external and indoor applications



Serrated Cutting Ribs

Provides a clean flush finish.

Aggressive Thread

Increases pull down speed & strength.

Fast Bite Point

Quick start & no pre-drilling.

T30 Star Drive Recess

Better fit & less cam-out.

Clearing Thread

Reduces driving torque.

W-Cut Thread

Faster drive for easy installation.

Galvanised - Zinc Alloy 3

*Also available in Climacoat® and Stainless Steel 316 finishes.



PRECISE



- Improved T30 Star Driver bit provides a tight recess fit for more control.
- Star Drive offers a positive engagement under high installation torque.

2 EASY



- Enables a one-handed operation to improve productivity onsite.
- 16 Gauge for greater strength and performance into heavy timber applications.

3 EFFICIENT



- Fast Bite point reduces timber splitting even when applying close to edges, resulting in less re-work.
- Under-head cutting ribs effectively removes timber fibres for a clean flush finish.

APPLICATIONS:

Ideal for fixing roofing battens to timber rafters or fastening heavy timbers where a flush finish is required:

Landscaping

Boardwalk

Pergolas

Fencing

Framing

Furniture



Available in the below length sizes, finishes and pack quantities:

Gauge	Length	TPI	Finish	Quantity	Drive	Product Code
16G	75mm	8	Climacoat®	25	T30 Star Drive	X525931
16G	75mm	8	Climacoat®	100	T30 Star Drive	X525948
16G	75mm	8	Climacoat®	500	T30 Star Drive	X525993
16G	100mm	8	Climacoat®	25	T30 Star Drive	X526020
16G	100mm	8	Climacoat®	100	T30 Star Drive	X526044
16G	100mm	8	Climacoat®	500	T30 Star Drive	X526051
16G	50mm	8	Galvanised - Zinc Alloy 3	25	T30 Star Drive	X526068
16G	50mm	8	Galvanised - Zinc Alloy 3	100	T30 Star Drive	X526075
16G	50mm	8	Galvanised - Zinc Alloy 3	500	T30 Star Drive	X526099
16G	75mm	8	Galvanised - Zinc Alloy 3	25	T30 Star Drive	X526105
16G	75mm	8	Galvanised - Zinc Alloy 3	100	T30 Star Drive	X526112
16G	75mm	8	Galvanised - Zinc Alloy 3	500	T30 Star Drive	X526129
16G	100mm	8	Galvanised - Zinc Alloy 3	25	T30 Star Drive	X526143
16G	100mm	8	Galvanised - Zinc Alloy 3	100	T30 Star Drive	X526167
16G	100mm	8	Galvanised - Zinc Alloy 3	500	T30 Star Drive	X526228
16G	125mm	8	Galvanised - Zinc Alloy 3	25	T30 Star Drive	X526235
16G	125mm	8	Galvanised - Zinc Alloy 3	100	T30 Star Drive	X526259
16G	125mm	8	Galvanised - Zinc Alloy 3	250	T30 Star Drive	X526266
16G	150mm	8	Galvanised - Zinc Alloy 3	25	T30 Star Drive	X526273
16G	150mm	8	Galvanised - Zinc Alloy 3	100	T30 Star Drive	X526297
16G	150mm	8	Galvanised - Zinc Alloy 3	250	T30 Star Drive	X526303
16G	100mm	8	Stainless Steel 316	100	T30 Star Drive	X526310
16G	75mm	8	Stainless Steel 316	100	T30 Star Drive	X526327



AU Customer Service P 1300 721 738 F 1800 206 941

E customerservice@itwproline.com.au

NZ Customer Service P 0800 277 577

E customer.services@itwproline.com



Visit **itwproline.com.au/buildex** for more information on the Buildex product range

Buildex[®] is a registered trademark of ITW Australia Pty Ltd



