

## Product Disclosure Information Sheet Countersunk TEKS screw

### Product description

Countersunk TEKS screw 8g & 10g

### Relevant building code clauses

B1 Structure — B1.3.1, B1.3.2, B1.3.3 (b, d, e, f, g, h, i, j, p, q), B1.3.4

B2 Durability — B2.3.1 (a)

### Primary Use

Fastening to metal

### Scope of use

Buildex fasteners are intended for use in residential and commercial construction to secure various building components to metal. Use in non corrosive internal environments.

Buildex® Metal TEKS® self-drilling screws have a hardened drill point that will drill and thread in structural steel and mild steel.

TEKS® points are designed in a manner much the same as high speed steel drill bits.

Not recommended for fixing decking to steel.

### Conditions of use

Joints need to be designed so that they comply with the load requirements of B1 without exceeding the fastener capacity.

Fasteners need to be installed by a competent professional in accordance with the manufacturer's recommendations.

### Installation Instructions:

1. Choose a screw long enough to allow at least three threads to protrude beyond the metal being fastened to.
2. Fit screw to a power screwdriver and set to High.
3. Push sharply on screwdriver to create a starting point.
4. Maintain firm end pressure until the screw has drilled and fastened.

### Manufacturing Details

Screws manufactured in China to strict ITW Buildex design and specifications

### Warnings and bans

At the time of print, this product is not subject to any known warnings and bans found in Building Act 2004.



Product List					
Countersunk TEKS screw					
Zinc Plated					
Material	Thickness	TPI (Threads Per	Length	Quantity	Product Code
Carbon Steel	8g	18	25mm	1000	X001714
	10g	24	30mm		X001752
			40mm		X001776
			50mm	500	X001806

