

Product Disclosure Information Sheet FibreTEKS screw

Product description

FibreTEKS screw M4.8

Relevant building code clauses

B1 Structure — B1.3.1, B1.3.2, B1.3.3 (b, d, e, f, g, h, i, j, p, q), B1.3.4

B2 Durability — B2.3.1 (a)

Primary Use

Fastening fibre cement sheet to timber and metal

Scope of use

Buildex fasteners are intended for use in residential and commercial timber construction to secure various building components to timber.

For framing, use in "Framing in 'closed areas' including roof spaces" according to Table 4.3 NZS 3604

Conditions of use

Joints need to be designed so that they comply with the load requirements of B1 without exceeding the fastener capacity.

Fasteners need to be installed by a competent professional in accordance with the manufacturer's recommendations.

Installation Instructions:

1. Fit screw to a power screwdriver. Set to High and place at fastening position.
2. Push sharply to create a seating point.
3. Drive screw home until head is flush or slightly below the surface. DO NOT OVER DRIVE

Manufacturing Details

Screws manufactured in Taiwan to strict ITW Buildex design and specifications

Warnings and bans

At the time of print, this product is not subject to any known warnings and bans found in Building Act 2004.



Product List					
FibreTEKS screw					
Climaseal 4					
Material	Thickness	TPI (Threads Per	Length	Quantity	Product Code
Carbon Steel	M4.8	18	25mm	100	X980419
			30mm		X980433

